EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((file directory directories) near2 name $1) near5 resources near5 ((based adj1 on) (according adj to) accordingly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:43
L2	0	((file directory directories) near2 nam $4) near5 resources near5 ((based adj1 on) (according adj to) accordingly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:44
L3	161	((file directory directories) near2 nam $4) near5 resources near5 ((based adj1 on) (according adj to) accordingly indicat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:44
L4	2351534	g06f$ h04l$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
L5	81	L3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
L6	1565	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45
L7	1	L5 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 15:45

S1	78	access$4 near3 (configuration mode state) near3 (information data info) near3 (component$1 unit$1 resource$1) near3 (PLD $1 device$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02
S2	2	S1 with (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:00
S3	3	S1 same hierarch$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:06
S4	141	(call$4 invok$4 request $4) near3 (virtual adj file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05
S5	0	S1 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S6	15	S4 with (device$1 PLD $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S7	1431	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08
S8	0	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 08:08

S9	1004	access$4 near3 (configuration mode state) near3 (information data info) near3 (component$1 unit$1 resource$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S10	0	S9 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:12
S11	5640	(call$4 invok$4 request $4) near3 (file adj (service directory system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13
S12	0	S9 same S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:13
S13	20	S9 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:18
S14	0	S9 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S15	0	S7 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:14
S16	13	(hierarchy near3 (director $4 file$1)) near5 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:22
S17	0	S16 near5 (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20

S18	0	S16 with (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S19	1	S16 same (OS (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:20
S20	135	(call$4 invok$4 request $4) near3 (virtual adj file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:47
S21	15895	access$4 near3 (configuration mode state) near3 (information data info)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S22	0	S20 same S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S23	5	S20 same ((configuration mode state) near3 (information data info))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 09:49
S24	177	(access$4 get$4 obtain$4 gether$4 collect$4) near3 (configuration mode state) near3 (information data info) near3 (component$1 unit $1 resource$1) near3 (PLD$1 device$1 FPGA $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:02
S25	0	S24 same S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:05

S26	0	S24 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:06
S27	0	(program near2 (call$1 request$1)) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07
S28	56	(call$1 request$1) near3 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S29	6	(call$1 request$1) near3 S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:07
S30	0	S28 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 10:17
S31	35	(virtual near1 file$1) with (configur$5 near2 (information data resource$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:39
S32	1452	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41
S33	0	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:41
S34	2	"6708278".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:17

S35	35	(virtual near1 file$1) with (configur$5 near2 (information data resource$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S36	30	S35 and (director$4 hierarchy list$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:14
S37	6	S35 same (director$4 hierarchy list$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S38	35	S35 same (director$4 hierarchy list$1 file$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S39	35	S35 with (director$4 hierarchy list$1 file$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:26
S40	1019	access$4 near3 (configuration mode state) near3 (information data info) near3 (component$1 unit$1 resource$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:30
S41	3	S40 same ((programmable adj logic adj device$1) PLD$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:31
S42	0	S41 same S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S43	45	S40 and ((programmable adj logic adj device$1) PLD$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32

S44	0	S43 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:32
S45	7	S40 same ((programmable adj logic adj device$1) PLD$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S46	70	S40 and ((programmable adj logic adj device$1) PLD$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:34
S47	0	S46 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:35
S48	0	(virtual adj file) same ((programmable adj logic adj device$1) PLD$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37
S49	96	(virtual adj file) and ((programmable adj logic adj device$1) PLD$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:37
S50	71955	((programmable adj logic adj device$1) PLD$1 FPGA$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38
S51	6	S35 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 06:38
S52	2	"20030191810"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:07

S53	0	S52 and ((storage adj resources) near5 config $7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:14
S54	1	S52 and ((storage adj resources) same config $7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:15
S55	2	((programmable adj logic adj device$1) PLD$1 FPGA$1) near3 (clock adj signal) near3 (disable stop interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:32
S56	22	((programmable adj logic adj device$1) PLD$1 FPGA$1) near3 (clock adj signal) near3 (enable start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:35
S57	44	(clock adj signal) near3 input near3 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41
S58	25	(clock adj signal) near2 input near2 (PLD FPGA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 09:41
S59	8517	access$4 near3 (file adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:48
S60	2291	((director$3 file$1) near2 (name$1)) with resource $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:49
S61	13	S59 with S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:49

S62	0	S61 with (PLD (programmable adj logic adj device) integrated IC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 06:50
S63	91	((file director$3) near2 name$1) near3 (indicat $4 represent$4 mark$4 exhibit$4 denot$4 impl$4 signify$4 suggest$4 specify$4 symboliz$4) near3 resources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:57
S64	6	S63 with (circuit PLD device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:58

7/28/2008 4:19:54 PM
C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10812643.wsp